

INDEX MAPS.

T. 3N, R. 4E. 2nd Mer.

	235-237	235-237	236-237	236-237	236-237	236						
239	6	263	5	257	4	253	3	248	2	243	1	235
	263	262	257	252	248	243						
239	7	262	8	256	9	252	10	247	11	243	12	234
	262	261	256	252	246	242						
239	18	261	17	255	16	251	15	246	14	242	13	234
	261	260	255	251	246	242						
238	19	260	20	255	21	250	22	246	23	241	24	234
	260	259	254	250	245	241						
238	30	259	29	254	28	249	27	245	26	240	25	233
	258	258	253	249	244	240						
238	31	258	32	253	33	249	34	244	35	240	36	233
	231-233	231-233	231-232	231-232	231-232	232						

T. 4N, R. 4E. 2nd Mer.

	269-272	269-271	270-271	270-271	270-271	270						
274	6	294	5	289	4	286	3	282	2	278	1	269
	294	294	289	285	282	277						
273	7	293	8	289	9	285	10	281	11	277	12	268
	293	293	288	285	281	277						
273	18	293	17	288	16	284	15	281	14	276	13	268
	292	292	288	284	280	276						
273	19	292	20	287	21	284	22	280	23	276	24	268
	291	291	287	283	279	275						
272	30	291	29	287	28	283	27	279	26	275	25	267
	290	290	286	283	279	274						
272	31	290	32	286	33	282	34	278	35	274	36	267
	265-267	265-267	265-266	265-266	265-266	266						

The figures on the lines refer to the page.

Township N. 3 North, of Range N. 4 East 2. Mer. Indiana

South Boundary

East On Rand^m. S. boundary of Sec. 31, T. 3 N. R. 4 E.

1.50 a Brook 15 lks. wide Course South

40.00 Set temp^y. q. Sec. post

80.00 Set temp^y. Sec. post Good farming Land
timber Oak Hickory Poplar ash & Beech
undergrowth Spice wood

East On Rand^{gnd}. S. boundary of Sec. 32, T. 3 N. R. 4 E.

40.00 Set temp^y. q. Sec. post

70.50 a Brook 10 lks. wide Course S. E.

75.50 a Do 12 " " " S. E.

80.00 Set a post Cor. to Sec. 32 & 33, temporarily
Land timber &c. of the same quality

East On Random S. boundary of Sec. 33, T. 3 N. R. 4 E.

40.00 Set temp^y. q. Sec. post

55.00 a Brook 10 lks. wide Course South

80.00 Set temp^y. Sec. post

Land timber &c. as on the last Mile

East On Rand^m. S. boundary of Sec. 34, T. 3 N. R. 4 E.

15.00 a Brook 10 lks. wide Course South

38.00 a Do 10 " " " South

40.00 Set temp^y. q. Sec. post

78.50 a Brook 15 lks. wide Course South

80.00 Set temp^y. Sec. post

Good farming Land Beech timber Soil.

East On Rand^m. S. boundary of Sec. 35, T. 3 N. R. 4 E.

40.00 Set temp^y. q. Sec. post

67.00 a Brook 10 lks. wide Course S. E.

80.00 Set temp^y. Sec. post

T3N R4E 2nd Mer. Indiana

Land timber the same as on the last mile

East On Rand^{om} S. boundary of Sec. 36, T3N R4E.
 10.00 a Brook 15 lks. wide Course S. E.
 40.00 Set temp^{orary} q^{uarter} Sec. post
 71.69 Intersected the N^{orth} S. line 100 lks. S. of Town
 Corner. Land timber the same.

West On true line S. boundary of Sec. 36, T3N R4E.
 40.00 Set the q^{uarter} Sec. post on true line from which
 a Beech 30 in. dia. bears S 37 W 17 lks. dist. &
 a Do 30 " " " N 37 W 37 " "
 80.00 Set a post Cor. to Sec. 35 & 36, T3N R4E. from which
 a Beech 15 in. dia. bears S 13 W 20 lks. dist. &
 a Dogwood 6 " " " N 48 W 15 " "

West On true line S. boundary of Sec. 35, T3N R4E.
 40.00 Set the q^{uarter} Sec. post on true, from which
 a Dogwood 5 in. dia. bears N 7 W 6 lks. dist. &
 a Chestnut 10 " " " S 67 E 16 " "
 80.00 Set a post Cor. to Sec. 34 & 35, T3N R4E. from which
 a Beech 12 in. dia. bears S 26 W 5 lks. dist. &
 a B. Oak 40 " " " N 54 W 23 " "

West On true line S. boundary of Sec. 34, T3N R4E.
 40.00 Set the q^{uarter} Sec. post on true, from which
 a Beech 24 in. dia. bears N 49 E 41 lks. dist. &
 a Sugar 8 " " " S 49 W 39 " "
 80.00 Set a post Cor. to Sec. 33 & 34, T3N R4E. from which
 a Sugar 15 in. dia. bears N 48 W 21 lks. dist. &
 a Dogwood 5 " " " S 50 W 12 " "

West On true line S. boundary of Sec. 33, T3N R4E.

T3N R4E. 2^d Mer. Indiana

- 40.00 Set the q. Sec. post on true line, from which
a Sugar 10 in. dia. bears S 22° W 8 lks. dist. &
a Poplar 5 " " " N 12° W 4 " "
- 80.00 Set a post Cor. to Sec. 32 & 33, T3N R4E. from which
a W. Oak 24 in. dia. bears N 45° E 39 lks. dist. &
a Sugar 10 " " " S 45° W 8 " "

- West On true line S. boundary of Sec. 32, T3N R4E.
40.00 Set the q. Sec. post on true line, from which
a Mulberry 10 in. dia. bears N 27° E 15 lks. dist. &
a Beech 8 " " " N 29° W 22 " "
- 80.00 Set a post Cor. to Sec. 31 & 32, T3N R4E. from which.
a W. Oak 10 in. dia. bears S 67° E 10 lks. dist. &
a Beech 8 " " " S 81° W 7 " "

- West On true line S. boundary of Sec. 31, T3N R4W
40.00 Set the q. Sec. post on true line, from which
a W. Walnut 12 in. dia. bears S 62° E 16 lks. dist. &
a Beech 10 " " " N 62° W 23 1/2 " "
- 85 71.69 to the Township Corner. September 26th 1906. Cor.

East Boundary

- North On E. boundary of Sec. 36, T3N R4E.
40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bears S 28° W 21 lks. dist. &
a Dogwood 8 " " " N 62° W 30 " "
- 56.00 a Brook 15 lks. wide Course S. W.
- 80.00 Set a post Cor. to Sec. 25 & 36, from which
a W. Ash 24 in. dia. bears S 47° W 9 lks. dist. &
a Beech 15 " " " N 75° E 21 " "
- Good farming land underbrush Spice wood

North On E. boundary of Sec. 25, T3N R4E.

T3N. R4E. 2^d Mer. Indiana

40.00 Let the q^r. Sec. post, from which
 a Beech 4 in. dia. bray N44E 2 lks. dist. of
 a Chestnut 20 " " " N89W 19 " "
 The land &c. same

80.00 Let a post Cor. to Sec. 24 & 25, from which
 a Poplar 10 in. dia. bray S62E 8 lks. dist. of
 a Sugar 12 " " " S76W 11 " "
 This half mile over broken knobs, & very high
 hills, timber Oak.

North On E. boundary of Sec. 24, T3N. R4E.

4.00 a Brook 20 lks. wide course N.W.

40.00 Let the q^r. Sec. post, from which
 a Beech 10 in. dia. bray S10E 39 lks. dist. of
 a Do 4 " " " S75W 10 " "

80.00 Let a post Cor. to Sec. 13 & 24, from which
 a Gum 12 in. dia. bray N36E 17 lks. dist. of
 a Logw. 4 " " " S36W 7 " "
 Very hilly land, timber P. & W. Oak

North On E. boundary of Sec. 13, T3N. R4E.

36.50 a Brook 10 lks. wide course W.

40.00 Let the q^r. Sec. post, from which
 a Beech 4 in. dia. bray N70W 4 lks. dist. of
 a Hickory 8 " " " S1E 14 1/2 " "

76.00 a Brook 10 lks. wide course N.W.

80.00 Let a post Cor. to Sec. 12 & 13, from which
 a Beech 15 in. dia. bray S40E 13 lks. dist. of
 a W. Oak 10 " " " N10W 11 " "
 Land timber &c. same very hilly

North On E. boundary of Sec. 12, T3N. R4E.

40.00 Let the q^r. Sec. post, from which

T3N. R4E. 2^d. Mer. Indiana

- a Red Oak 18 in. dia. - bear N 7 E 14 lbs. dist. of
 a Sugar 6 " " " S 65 W 11 " "
 58.58 at Brook 15 lbs. wide Course West
 80.00 at a post Cor. to Sec. 1 & 12, from which
 a Hickory 8 in. dia. - bear S 10 E 11 lbs. dist. of
 a Dogw. 6 " " " N 13 W 20 " "
 Sand timber &c. Same as on the last mile

- North On E. boundary of Sec. 1, T3N. R4E
 40.00 at the q. Sec. post, from which
 a P. Oak - in. dia. - bear S 22 E 4 lbs. dist. of
 a Dogwood 4 " " " N 43 W 5 " "
 80.00 at a post Cor. to Township N: 3 of 4 North
 Range, N: 4 & 5, East from which
 a W. Oak 12 in. dia. - bear S 75 W - lbs. dist. of
 a P. Oak 20 " " " N 83 E 43 " "
 Sand timber &c. Same as on the last mile

North Boundary.

- East On Rand^m. S. boundary of Sec. 31, T4N. R4E.
 40.00 at temp. q. Sec. post
 42.00 at Brook 10 lbs. wide Course South
 68.00 a Spring run Course South
 80.00 at a post temporary Cor.
 This Mile Over Broken land, timber Oak,
 Hickory & Beech

- East On Rand^m. S. boundary of Sec. 32, T4N. R4E.
 40.00 at temp. q. Sec. post
 60.00 at Brook 10 lbs. wide Course S. E.
 79.00 at Brook 10 " " " N. E.
 80.00 at temp. Sec. post.
 Sand, timber &c. Same as on the last mile

T3N R4E 2nd Mer. Indiana

East On Rand^m S. boundary of Sec. 33, T4N R4E.
 40.00 Set temp^y. g^r. Sec. post.
 41.50 at Brook 10 lks. wide Course N.
 80.00 Set temp^y. - Sec. post
 Sand timber &c. Same as on the last mile

East On Rand^m S. boundary of Sec. 34, T4N R4E.
 40.00 Set temp^y. g^r. Sec. post
 51.50 at Brook 10 lks. wide Course N.E.
 75.00 a Creek 100 lks. " " N.E.
 80.00 Set temp^y. Mile post
 Sand timber &c. Same as last mile

East On Rand^m S. boundary of Sec. 35, T4N R4E
 17.50 a Brook 10 lks. wide Course North
 40.00 Set temp^y. g^r. Sec. post
 56.50 a Brook 15 lks. wide Course North
 80.00 Set a post Cor. to Sec. 35 & 36, temporarily
 Sand timber &c. Same as on the last mile

East On Rand^m S. boundary of Sec. 36, T4N R4E.
 40.00 Set temp^y. g^r. Sec. post
 85.76 Intersected the N & S. line 5.00 lks. S. of Town
 Corner. Very hilly land, high hills

West On true line S. boundary of Sec. 36, T4N R4E
 40.00 Set the g^r. Sec. post on true line, from which
 at Beech 8 in. diam. bray S 82° W 10 lks. dist^y
 a W. Oak 15 " " N 12 E 5 " "
 80.00 Set a post Cor. to Sec. 35 & 36, T4N R4E, from which
 a P. Oak 10 in. diam. bray N 15° W 14 lks. dist^y
 a Do 8 " " N 16° W 23 " "

T3N. R4E. 2^d. Mer. Indiana

Nest On true line S. boundary of Sec. 35, T4N. R4E.

40.00 Set the q. Sec. post on true line from which
a Maple 40 in. diam. bray S48°W 35 lks. dist. of
a Beech 15 " " " S88°E 39 " "

80.00 Set a post Cor. to Sec. 34 & 35, T4N. R4E, from which
a Beech 10 in. diam. bray S7°E 20 lks. dist. of
a Sugar 10 " " " N7°W 10 " "

Nest On true line S. boundary of Sec. 34, T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Sugar 15 in. diam. bray S40°W 11 lks. dist. of
a Beech 4 " " " N15°W 11 " "

80.00 a W. Oak 10 in. diam. Cor. to Sec. 33 & 34, T4N. R4E.

Nest On true line S. boundary of Sec. 33, T4N. R4E.

40.00 Set the q. Sec. post, on true line from which
a Dogwood 6 in. diam. bray N20°W 11 lks. dist. of
a Beech 8 " " " S49°W 13 lks. "

80.00 Set a post Cor. to Sec. 32 & 33, T4N. R4E, from which
a Beech 5 in. diam. bray S21°E 6 lks. dist. of
an Ironw. 6 " " " S76°W 11 " "

Nest On true line S. boundary of Sec. 32, T4N. R4E.

40.00 Set the q. Sec. post, on true line, from which
a Beech 10 in. diam. bray S87°W 2 lks. dist. of
a Poplar 15 " " " S7°E 5 " "

80.00 Set a post Cor. to Sec. 31 & 32, T4N. R4E, from which
a W. Oak 18 in. diam. bray S86°W 19 lks. dist. of
a Beech 10 " " " N26°E 14 " "

Nest On true line S. boundary of Sec. 31, T4N. R4E.

40.00 Set the q. Sec. post, on true line, from which
a W. Oak 10 in. diam. bray N12°W 9 lks. dist. of

T3N R4E T. Mer. Indiana

a W. Oak 12 in. dia. beam N 76 E 12 1/4. dist. of
85.76 to the Township Corner. Sept. 29th 1806

West Boundary

North On E. boundary of Sec. 36, T3N. R3E
5.50 a Brook 10 lks. wide corner S.E.

25.45 a Hickory 20 in. dia.

40.00 Set the q. Sec. post, from which
a Hickory 8 in. dia. beam N 43 W 8 1/2 lks. dist. of
a W. Walnut 5 " " " S 89 E 1 link "

80.00 Set a post Cor. to Sec. 25 of 36, T3N. R3E, from which
a Gum 20 in. dia. beam N 49 E 8 lks. dist. of
a Do 20 " " " N 89 W 46 " "
Good farming Oak timbered land

North On E. boundary of Sec. 25, T3N. R3E.

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. beam N 19 W 10 lks. dist. of
a W. Oak 10 " " " N 29 E 8 " "

80.00 Set a post Cor. to Sec. 24 & 25, T3N. R3E, from which
a W. Oak 10 in. dia. beam N 64 W 17 1/2 lks. dist. of
a Do 18 " " " S 21 E 24 " "

This mile over rolling land, timber Beech,
Oak, Hickory & Gum, undgth Dogwood

North On E. boundary of Sec. 24, T3N. R3E.

40.00 Set the q. Sec. post, from which
a Sugar 10 in. dia. beam S 15 E 16 1/4. dist. of
a Do 8 " " " N 80 W 30 " "

80.00 Set a post Cor. to Sec. 13 & 24, T3N. R3E, from which
a W. Oak 8 in. dia. beam S 77 W 22 1/2 lks. dist. of
a Pecanore 20 " " " East 1 link "
This post stands on the bank of a Brook 25 lks.

S 3 N R 4 E 2^d Mer. Indiana

239

wide Course West

Land timber &c. Same as on the last mile

North On E. boundary of Sec. 13 S 3 N R 3 E.

38.50 a Brook 20 lks. wide Course West

40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bears S 34 E 6 lks. dist. &
a Do 5 " " " S 28 W 14 " "

56.50 a Brook 10 lks. wide Course S. E.

80.00 Set a post Cor. to Sec. 12 & 13, S 3 N R 3 E. from which
a Dogwood 6 in. dia. bears S 45 E 16 lks. dist. &
a Do 5 " " " N 5 W 10 " "
Over hilly Oak timb. land undgth Dogwood

North On E. boundary of Sec. 12, S 3 N. R 3 E.

11.70 a Poplar 15 in. dia.

40.00 Set the q. Sec. post from which
a Dogwood 6 in. dia. bears N 58 E 10 lks. dist. &
a Beech 5 " " " S 6 W 5 " "

69.00 a Brook 20 lks. wide Course West

80.00 Set a post Cor. to Sec. 1 & 12, S 3 N R 3 E. from which
a Beech 6 in. dia. stands for the Corner
This Mile over good farming Land timber Oak
Poplar Walnut, Ash, Beech, undgth Spicewood.

North On E. boundary of Sec. 16 S 3 N R 3 E.

40.00 Set the q. Sec. post, from which
a Chestnut 12 in. dia. bears N 65 W 6 lks. dist. &
a Do 18 " " " S 26 E 28 " "

44.00 a Creek 50 lks. wide Course West

80.00 Set a post Cor. to Township N. 3 & 4 North, Ranges
3 & 4 East, from which
a Beech 12 in. dia. bears N 46 E 15 1/2 lks. dist. &

S 3 N R 4 E. T. Mer. Indiana

a W. Oak 8 in. dia. bears S 4 E 37 lks dist. &
 Surveyed in 1806. by Arthur Henric, A. S.

Subdivision.

North Between Sec. 35 & 36, S 3 N. R 4 E.

13. 00 a Poplar 50 in. dia.

40. 00 Set the q. Sec. post, from which

a Beech 12 in. dia. bears N 31 E 12 lks. dist. &

a Do 15 " " " S 31 W 16 " "

66. 50 a Water Course 6 lks. wide Course N. W.

80. 00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which

a Beech 4 in. dia. bears S 56 E 14 lks. dist. &

and Ironwood " " " N 56 W 7 " "

Over Mountains 3^d. rate Land Beech Oak & Poplar
 timber. —

East On Random Between Sec. 25 & 36, S 3 N. R 4 E.

6. 50 a Water Course 4 lks. wide Course N.

40. 00 Set temp. q. Sec. post

79. 60 Intersected the E. boundary 80 lks. E. of post

Over Level 2^d. rate Land beech Chestnut & Poplar temp.

West On true line between Sec. 25 & 36, S 3 N. R 4 E.

39. 80 Set q. Sec. post at average dist. from which

a Beech 8 in. dia. bears S 50 W 16 lks. dist. &

and Ironwood 5 " " " N 68 E 18 " "

79. 60 to Section Corner

North Between Sec. 25 & 26, S 3 N. R 4 E.

15. 00 a Water Course 20 lks. wide Course N. W.

31. 50 a Do " 5 " " " W.

40. 00 Set the q. Sec. post, from which

a B. Oak 12 in. dia. bears S 32 W 14 lks. dist. &

S3 N R4 E. 2^d Mer. Indiana

241

- a B. Oak 18 in. dia. bears N. 20 W 4 lks. dist.
- 47.50 a Water Course 3 lks. wide Course W.
- 58.00 a Do " 5 " " " W.
- 60.00 a Do " 4 " " " S W.
- 73.50 a Do " 4 " " " W.
- 77.75 a Do " 3 " " " S W.
- 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26. from which
a W. Oak 12 in. dia. bears S 84 E 11 lks. dist. &
a Dogwood 5 " " " N 77 W 9 " "
Over Mountainous 3^d rate Land B. Oak C. Oak. timber.

January 2^d 1807.

- East On Random between Sec. 24 & 25, S3 N R4 E,
- 58.00 a Brook 15 lks. wide Course N.
- 78.00 a Water Course 4 " " " N. E.
- 81.00 Intersected the E. boundary 150 lks. N. of post.
Land & timber as on the last mile.

- West On true line between Sec. 24 & 25, S3 N R4 E,
- 40.50 Set q. Sec. post at average dist. from which
a Sugar 15 in. dia. bears S 7 E 26 lks. dist.
- 81.00 To Section Corner

- North Between Sec. 23 & 24, S3 N R4 E,
- 11.25 a Water Course 4 lks. wide Course N. W.
- 37.30 a Beech 8 in. dia. in the line
- 40.00 Set the q. Sec. post, from which
a Ash 20 in. dia. bears N 58 E 24 lks. dist. &
a Sugar 4 " " " S 58 W 14 " "
- 41.60 a Brook 20 lks. wide Course W.
- 53.40 a Poplar 30 in. dia. in the line
- 55.50 a Water Course 8 lks. wide Course S. W.
- 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which

T3N R4E. 2^d Mer. Indiana

a Sugar 4 in. dia. bears N 73 E 6 lks. dist. &
 a Do 5 " " " S 48 W 8 " "
 Land & timber as on the last mile

East On Random between Sec. 13 & 24, T3N R4E.
 51.00 a Water Course 10 lks. wide Course S.
 81.00 Intersected the E. boundary 170 lks. N. of post
 Land and timber as on the last mile.

West On true line between Sec. 13 & 24, T3N R4E.
 40.50 Set of Sec. post at average dist. from which
 a B. Oak 20 in. dia. bears N 57 E 7 lks. dist. &
 a Do 12 " " " S 37 W 3 " "
 81.00 to Section Corner Jan. 5th 1807

North Between Sec. 13 & 14, T3N R4E.
 11.50 a Water Course 15 lks. wide Course S. W.
 30.00 a Do " 8 " " " S. W.
 40.00 Set the of Sec. post, from which
 a W. Oak 8 in. dia. bears S 28 W 7 lks. dist. &
 a Do 4 " " " S 85 E 14 " "
 65.50 a Water Course 8 lks. wide Course N 20 W.
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a B. Oak 8 in. dia. bears S 83 E 14 lks. dist. &
 a Do 4 " " " West 4 " "
 Over Mountainous 3^d rate Land Beech timber.

East On Random between Sec. 12 & 13, T3N R4E.
 25.00 a Brook 18 lks. wide Course N. 80 W.
 40.00 Set temp. of Sec. post
 75.75 a Water Course 3 lks. wide Course S. W.
 82.00 Intersected the E. boundary 280 lks. N. of post
 Land & timber as on the last mile

T3 N. R4 E. 2nd Mer. Indiana

West on true line between Secs. 12 & 13, T3 N. R4 E.
 41.00 Set q. Sec. post at average dist. from which
 a Beech 6 in. dia. bears S 72 E 14 chs. dist. 4
 a Sugar 3 " " " N 54 W 6 " "
 82.00 to Section Corner. January 7th 1807.

North Between Secs. 11 & 12, T3 N. R4 E.
 5.20 a Brook 20 chs. wide Course N. 75 W.
 22.00 a W. Oak 30 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a B. Oak 20 in. dia. bears S 2 E 13 chs. dist. 1
 no other tree near
 80.00 Set a post Cor. to Secs. 1, 2, 11 & 12, from which
 a B. Oak 20 in. dia. bears South 4 chs. dist. 4
 a Hickory 24 " " " North 23 " "
 Land and 4c. timber same as on the last mile

East On Random between Secs. 1 & 12, T3 N. R4 E.
 12.80 a brook 20 chs. wide Course N. W.
 28.75 a Water Course 6 " " " S.
 40.00 Set temp. q. Sec. post
 42.00 a Water Course 12 chs. wide Course S.
 82.25 Intersected the E. boundary 475 chs. N. of post
 Over mountainous 3^d rate Land, Beech, B. G. Oak, timb.

West On true line between Secs. 1 & 12, T3 N. R4 E.
 41.12 Set q. Sec. post at average dist. from which
 a Beech 12 in. dia. bears S 58 E 23 chs. dist. 4
 an Elm 12 " " " N 72 E 13 " "
 82.25 to Section Corner

North Between Secs. 1 & 2, T3 N. R3 E.
 5.50 a Brook 20 chs. wide Course N. W.

Sec. 14 E. 2^d. Mer. Indiana

- 15.00 a Poplar 60 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Hickory 6 in dia. bears N 53 W 5 lks. dist. &
 a B. Oak 15 " " " S 39 E 19 " "
 55.00 a Water Course 12 lks. wide Course W.
 65.25 a Poplar 36 in. dia. in the line
 66.50 a Water course 10 lks. wide Course S. W.
 76.60 Intersected the N. boundary 825 lks. W. of post
 Set a post Cor. to Sec. 14.2. from which
 a B. Oak 20 in. dia. bears S 49 E 6 lks. dist. &
 a W. Oak 4 " " " N 62 W 19 " "
 Land &c. as before

- North Between Sec. 34 & 35, S 3 N. R 4 E.
 21.15 an Ash 34 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bears N 36 E 24 lks. dist. &
 an Ash 16 " " " N 33 W 16 " "
 45.20 a Poplar 50 " " in the line
 81.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Sugar 15 in. dia. bears S 53 W 21 lks. dist. &
 a Ds 15 " " " S 74 E 25 " "
 Land and timber as on the last mile.

- East On Random between Sec. 26 & 35, S 3 N. R 4 E.
 00.75 a Water Course 6 lks. wide Course N.
 17.00 a Do " 3 " " " N.
 22.00 a Do " 4 " " " N W.
 37.00 a Do " 4 " " " N.
 40.00 Set temp. q. Sec. post.
 55.00 a Water Course 10 lks. wide Course N.
 62.50 a. Do " 4 " " " N W.
 80.25 Intersected the N. & S. line 60 lks. S. of post

245

S3 N. R4 E. 2^d. Mer. Indiana

Over Mountainous 3^d. rate Land Beech B. H. Oak
timber &c.

West On true line between Secs. 26 & 35, S3 N4 E.
40. 12 Set of Sec. post at average dist. from which
a Beech 10 in. dia. bears N3 W 20 lks. dist. &
an Elm 12 " " " S63 E 5 " "
80. 25 to Section Corner

December 31st. 1806.

North Between Sections. 26 & 27, S3 N. R4 E.
23. 00 a Water Course 8 lks. wide Course E.
31. 50 a Do " 10 " " " N. E.
40. 00 Set the of Sec. post, from which
an Ash 4 in. dia. bears S5 W 6 lks. dist. &
a Dogwood 5 " " " S69 W 5 " "
49. 50 a Water Course 4 lks. wide Course E.
61. 00 a Do " 3 " " " E.
72. 00 a Do " 5 " " " N. E.
80. 00 Set a post Cor. to Secs. 22, 23, 26 & 27. from which
a Hickory 24 in. dia. bears N16 E 22 lks. dist. &
an Ash 20 " " " S17 W 29 " "
Over Hilly 3^d. rate Land Oak, Hickory & Chesnut.
timber green briars for undergrowth.

East On Random between Secs. 23, & 26, S3 N. R4 E.
15. 00 a Water Course 5 lks wide Course N. E.
26. 56 a Brook 20. " " " N. W.
40. 00 Set temp. of Sec. post
56. 00 a Water Course 6 lks wide Course N. W.
79. 00 Intersected the N. & S. line 310 lks. S. of post
Over Mountainous land Oak Beech & Poplar timber.

S. 3. N. R. 4 E. T. Mer. Indiana

West On true line between Sec. 23 & 26, S. 3. N. R. 4 E.
 39.50 Set q. Sec. post at average dist. from which
 a B. Gum 12 in. dia. bears N 42 W 29 chs. dist. &
 a Beech 15 " " " S 74 E 14 " "
 79.00 to Section Corner

North Between Sec. 22 & 23, S. 3. N. R. 4 E.
 7.00 a Water Course 3 chs. wide Course N. E.
 30.00 a Brook 20 chs. wide Course W.
 40.00 Set the q. Sec. post, from which
 an Elm 10 in. dia. bears N 24 E 28 chs. dist. &
 a Beech 15 " " " S 10 W 4 " "
 51.00 a Water Course 4 chs. wide Course W.
 60.20 a B. Gum 18 in. dia. in the line
 62.00 a Water Course 3 chs. wide Course W.
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Dogwood 3 in. dia. bears N 40 W 7 chs. dist. &
 a Beech 15 " " " S 41 E 5 " "
 Land & timber as on the last Mile.

East On Random between Sec. 14 & 23, S. 3. N. R. 4 E.
 22.00 a Brook 24 chs. wide Course N.
 40.00 Set temp. q. Sec. post
 52.00 a Brook 15 chs. wide Course S. W.
 73.25 Intersected the N. & S. line 260 chs. S. of post
 Land timber &c. same as on the last Mile.

West On true line between Sec. 14 & 23, S. 3. N. R. 4 E.
 39.12 Set q. Sec. post at average dist. from which
 a Sugar 4 in. dia. bears N 13 W 16 chs. dist. &
 a Do — " " " S 22 E 28 " "
 78.25 to Section Corner

247

S 3 N R 4 E. 2^d Mer. Indiana.

North Between Secs. 14 & 15, S 3 N R 4 E.

4.50 a Water Course 6 lks. wide Course N.

28.00 a Brook 20 lks. " " N. W.

40.00 Set the q. Sec. post, from which

a Beech 8 in. dia. bears N 52 E 13 lks. dist. &

a Do 15 " " " S 52 W 5 " "

41.20 a Water Course 8 lks. Course W.

60.00 a W. Oak 24 in. dia. in the line

81.00 Set the post Cor. to Secs. 10, 11, 14 & 15, from which

a Sugar 12 in. dia. bears N 71 W 5 lks. dist. &

a Do 6 " " " S 51 E 18 " "

Over Mountainous 3^d rate Land Beech Oak & Poplar
timber—

East On Random Between Secs. 11 & 14, S 3 N R 4 E.

40.00 Set the q. Sec. post

71.50 a Water Course 15 lks. wide Course N.

78.40 Intersected the N. & S. line 150 lks. S. of post

Over very Mountainous 3^d rate Land Oak & Ches-
nut timber.

West On trucking between Secs. 11 & 14, S 3 N R 4 E.

39.20 Set q. Sec. post at average dist. & from which

a B. Oak 6 in. dia. bears S 8 W 22 lks. dist. &

a Do 4 " " " East 9 " "

78.40 To Section Corner Jan'y 8th 1808

North Between Secs. 10 & 11, S 3 N R 4 E.

35.00 a Brook 15 lks. wide Course west

40.00 Set the q. Sec. post, from which

a Beech 18 in. dia. bears N 43 W 26 lks. dist. &

a B. Oak 24 " " " N 23 E 5 " "

Over level 1st rate bottom with high hills on each side

T3N. R4E. 2^d. Mer. Indiana

Beech, Oak & Poplar timber
 45.10 a Beech 36 in. dia. in the line
 80.00 Set a post cor. to Sec. 2, 3, 10 & 11, from which
 at Beech 18 in. dia. bear N 66 E 10 lks. dist. &
 a Do 8 " " " S 86 W 20 " "
 Over 2^d. rate land lies flat & wet, Beech, Oak & Poplar

January 9th 1807

East On Rand 9^m. between Sec. 2 & 11, T3N. R4E.
 40.00 Set temp. q^r. Sec. post over (Mountainous 3^d
 rate land Oak & Chestnut timber
 50.25 a water Course 18 lks. wide Course N.W.
 78.25 Intersected the N. & S. line 6 lks. N. of the post
 Over Mountainous 3^d. rate land, Oak, Hickory & Chestnut

West On true line between Sec. 2 & 11, T3N. R4E.
 39.12 1/2 Set q^r. Sec. post at average dist. from which
 at Beech 12 in. dia. bear N 40 E 20 lks. dist. &
 a Do 10 " " " S 45 W 6 " "
 78.25 to Sec. Corner

North Between Sec. 2 & 3, T3N. R4E.
 30.00 a Creek 75 lks. wide Course N.E.
 40.00 Set the q^r. Sec. post, from which
 at Beech 20 in. dia. bear N 70 W 7 lks. dist. &
 a Do 4 " " " N 33 W 11 " "
 Over low flat 3^d. rate land Beech & Poplar timber
 51.20 at Beech 18 in. dia. in the line
 75.25 Intersected the N. boundary 765 lks. W. of post -
 Set a post cor. to Sec. 2 & 3, from which
 at Buckeye 12 in. dia. bear N 51 W 16 lks. dist. &
 a Sugar tree 15 " " " S 37 E 7 " "
 Over level 3^d. rate land, Beech & Sugar tree timber

T3N. R4E. 2nd Mer. Indiana

249

North Between Secs. 33 & 34, T3N. R4E

2.55 a Beech 24 in. dia. in the line

30.15 a Poplar 40 " " " "

40.00 Let the q. Sec. post, from which

a Dogwood 3 in. dia. bray S76 E 6 lks. dist. of

a Sugar 4 " " " S87 W 24 " "

Over level 1st rate land Beech & Poplar timber

80.00 Let a post Cor. to Secs. 27, 28, 33 & 34, from which

a Beech 20 in. dia. bray S19 E 5 lks. dist. of

a Poplar 50 " " " N10 W 31 " "

Over level 1st rate land Beech & Poplar, undgth Spruce

East On Land 8th between Secs. 27 & 34, T3N. R4E.

40.00 Let temp. q. Sec. post

79.00 Intersected the N & S. line 65 lks. N. of the post

Over level 2nd rate land, Beech, Poplar & Sugar
timber, undgth Spruce

West On true line between Secs. 27 & 34, T3N. R4E

39.50 Let q. Sec. post at average dist. from which

a Hickory 7 in. dia. bray N15 E 12 lks. dist. of

a Sugar 5 " " " N28 E 17 " "

79.00 to section corner.

North Between Secs. 27 & 28, T3N. R4E.

21.60 a Beech 18 in. dia. in the line

40.00 Let the q. Sec. post, from which

a Beech 16 in. dia. bray S48 W 16 lks. dist. of

an — 8 " " " N42 E 21 " "

50.00 a water Course 15 lks. wide Course N20 W

70.25 a Do 4 " " " West

80.00 Let a post Cor. to Secs. 21, 22, 27 & 28, from which

a Hickory 5 in. dia. bray N17 W 12 lks. dist. of

S3 N R4 E. 2nd Mer. Indiana

a Hickory 8 in. dia. bears S40 E 16 lks. dist.
This mile over 1st rate land, Ash, Beech and
Poplar timber—the last 55 ch. (mountainous)
3rd rate land Beech, Oak & Poplar timber
undrag. to Greenbrier

East On Rand 8th between Sec. 22 & 27, S3 N R4 E.

32.00 a Water Course 3 lks. wide course N. E.

37.50 a Do " 5 lks. " " N. E.

40.00 Set temp. q. Sec. post

Over Mountainous 3rd rate Land Beech Poplar & Oak
timber.

54.50 a Water course 6 lks. wide Course N.

65.50 a Do " 6 " " " N.

79.50 Intersected the N. & S. line 60 lks. N. of post
Land and timber as on the last mile.

West On true line between Sec. 22 & 27, S3 N R4 E.

39.79 Set q. Sec. post. at average dist. from which
a Gum 4 in. dia. bears S60 W 5 lks. dist. &
a Beech 15 " " " S61 E 12 " "

79.50 to Section corner.

North Between Sec. 21 & 22, S3 N R4 E.

2.00 a Water Course 3 lks. wide Course W.

7.00 a Do " 3 " " " W.

40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bears N33 E 3 lks. dist. &
a Do 4 " " " S34 E 7 " "

55.00 a Brook 25 lks. wide Course N. 15 E.

57.50 a Do 10 " " " E.

80.00 Set a post cor. to Sec. 15. 16. 21 & 22. from which
an Oak 12 in. dia. bears S35 E 10 lks. dist. &

S3 N 1/4 E 2nd Mer. Indiana

251

an Oak 10 in. dia. bears N 52 E 13 lks. dist.
Over Mountainous 3rd rate Land Oak Beech Chestnut
& Poplar timber

East On Random between Sec. 15 & 22, S3 N 1/4 E.
11.50 a Water Course 10 lks. wide Course S. E.
30.00 a Brook . 30 N. E.
40.00 Set temp. q. Sec. post. Over 1st rate Bottom Land
with High Hills Oak Beech Sugar & Poplar timber.
48.75 a Brook 20 lks. wide Course, N.
79.60 Intersected the N. & S. line 70 lks. N. of post.
Over Hilly 3rd rate Land Beech & Oak timber.

West On true line between Sec. 15 & 22, S3 N 1/4 E.
39.80 Set q. Sec. post at average dist. from which
a Chestnut 12 in. dia. bears S 35 E 16 lks. dist. &
a Beech 20 N 35 W 2 . . .
79.60 to Section Corner.

North Between Sec. 15 & 16, S3 N 1/4 E.
10.50 a Water Course 6 lks. wide Course E.
35.50 a Brook 15 E.
40.00 Set the q. Sec. post, from which
a Sugar 8 in. dia. bears N 86 W 7 lks. dist. &
a Do 12 S 66 E 17 . . .
45.10 a Poplar 50 . . in the line
56.00 a Water Course 62 lks. wide course S. 30 E.
80.00 Set a post Cor. to Sec. 9. 10. 15 & 16, from which
a W. Oak 4 in. dia. bears N 54 E 11 lks. dist. &
a Do 10 S 49 W 27 . . .
Over Mountainous 3rd rate timber Beech Oak
Chestnut & Poplar.

S3 R3 E2nd Mer. Indiana

East On Random between Sec. 10 & 15, S3 R4 E.
 23.00 a Water Course 6 lks. wide Course S.
 40.00 Set temp'y. q. Sec. post
 77.00 a Brook 75 lks. wide Course N.
 81.25 Intersected the N. & S. line 75 lks. N. of post
 Over Mountainous 3^d rate Land Beech Oak
 Chestnut timber.

West On true line between Sec. 10 & 15, S3 R4 E.
 40.12 Set q. Sec. post at average dist. from which
 a Dogwood 5 in. dia. bears S 28 W 9 lks. dist. &
 a Hickory 12 " " " N 19 E 7 " "
 81.25 to Section corner

January 8th 1817.

North Between Sec. 9 & 10, S3 R4 E.
 23.50 a Water Course 5 lks. wide Course N. E.
 39.80 a B. Oak 20 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Hickory 18 in. dia. bears S 63 E 16 lks. dist. &
 a W. Oak 8 " " " S 43 W 29 " "
 47.00 a Water Course 4 lks. wide Cours S. E.
 80.00 Set a post Cor. to Secs 3, 4, 9 & 10, from which
 a Hickory 20 in. dia. bears East 19 lks. dist. &
 a Beech 6 " " " West 9 " "
 Land & timber as on the last mile.

East On Random between Sec. 3 & 10, S3 R4 E.
 40.00 Set temp'y. q. Sec. post
 63.00 a Creek 73 lks. wide Course N.
 80.00 Intersected the N. & S. line 50 lks. S. of post.
 Over Mountainous 3^d rate Land Beech Oak &
 Chestnut timber.

25

T3 N R4 E. 2^d Mer. Indiana

West On true line between Sec^s. 3 & 10, T3 N R4 E.
 40.00 Set q^r. Sec. post at average dist. from which
 a B. Oak 20 in. dist. bears S 77° W 17 lks. dist. &
 a W Oak 15 " " " N 17° E 15 " "
 80.00 To Section Corner

North Between Sec^s. 3 & 4, T3 N R4 E.
 12.0 a Chestnut 50 in. dia. in the line
 19.00 a Water Course 35 lks. wide Course E.
 40.00 Set the q^r. Sec. post, from which
 a B. Oak 15 in. dia. bears S 31° W 17 lks. dist. &
 a B. Oak 10 " " " N 72° E 10 " "
 65.00 a Water Course 6 lks. wide Course E.
 73.00 Intersected the N. boundary 9.00 W. of post.
 Set a post Cor. to Sec^s. 3 & 4, from which
 a B. Oak 12 in. dia. bears S 37° W 13 lks. dist. &
 a Dogwood 4 " " " " " "
 Over Mountains 3^d rate Land Oak & Chestnut timber.

North Between Sec^s. 32 & 33, T3 N R4 E. January 18th 1807.
 .75 a Water Course 15 lks. wide Course S. & E.
 7.70 a W. Oak 24 in. dia. in the line
 32.00 a Brook 25 lks. wide Course S. & E.
 40.00 Set the q^r. Sec. post, from which
 a Sugar 8 in. dia. bears N 18° E 14 lks. dist. &
 a Do 7 " " " S 20° W 12 " "
 51.00 a Water Course 8 lks. wide Course S. W.
 81.00 Set a post Cor. to Sec^s. 28, 29, 32 & 33, from which
 a Gum 15 in. dia. bears S 85° E 18 lks. dist. &
 a Beech 12 " " " S 70° W 27 " "
 Over meadow 3^d rate Land Beech Oak & Hickory timber.

East On random between Sec^s. 28 & 33, T3 N R4 E.

S. 3 N. 1 R. 4 E. T. Mer. Indiana

- 40.00 Set temp. q. Sec. post
Over uneven 2^d rate Land Beech Ash Oak & Poplar
timber Spice undergrowth -
- 78.50 Intersected the N. & S. line 140 lks. S. of post. Over level
1st rate Land Beech Ash Oak & Poplar undergth Spice.

West On true line between Sec. 28 & 33, S. 3 N. R. 4 E.

- 39.25 Set q. Sec. post at average dist. from which
a Beech 12 in. dia. bears S 34 W 31 lks. dist. &
a Do 12 " " " N 36 E 20 " "

78.50 to Section Corner. December 30th 1806.

North Between Sec. 28 & 29, S. 3 N. R. 4 E.

38.25 a Water Course 5 lks. wide Course W.

- 40.00 Set the q. Sec. post, from which
a Beech 5 in. dia. bears N 85 W 8 lks. dist. &
a Do 4 " " " S 85 E 9 " "

50.00 a Brook 20 lks. wide Course N. W.

77.40 a R. Oak 15 in. dia. in the line

- 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 12 in. dia. bears S 80 E 5 lks. dist. &
a Do 4 " " " N 80 W 4 " "

Over Hilly 3^d rate Land Beech Oak & Poplar Timber

East On Random between Sec. 21 & 28, S. 3 N. R. 4 E.

40.00 Set temp. q. Sec. post

41.00 a Water Course 10 lks. wide Course N. 10 W.

74.50 a Do " 20 " " " N. W.

- 79.00 Intersected the N. & S. line 50 lks. S. of post
this mile over Mountainous rocky 3^d rate Land
Oak Beech & poplar timber -

West On true line between Sec. 21 & 28, S. 3 N. R. 4 E.

T3 N R4 E 2nd Mer. Indiana

- 39.50 Set q. Sec. post at average dist. from which
a Sugar 5 in. dia. bears N 80 E 13 lks. dist. &
a Beech 5 " " " S 80 W 10 " "
70.00 To Section Corner - January 3rd 1807.

North Between Sec. 20 & 21, T3 N, R4 E.

- 18.00 a Water Course 4 lks. wide Course N. E.
25.10 a Do " 5 lks. " " E.
30.25 a W Oak 24 in. dia. in the line
40.00 Set the q. Sec. post, from which
a Gum 6 in. dia. bears N 10 E 31 lks. dist. &
a Dogwood 4 " " " N 72 W 26 " "
52.50 a Water Course 3 lks. wide Course N 30 E.
59.50 a Water " 4 " " " E.
64.90 a W. Oak 20 in. dia. in the line
90.00 Set the q. Sec. 16 & 21, from which
a Sugar 18 in. dia. bears N 55 E 2 lks. dist. &
a Beech 18 " " " S 55 W 3 " "
Over Hilly 3rd rate Land Oak Beech & Poplar timber.

East On Random between Sec. 16 & 21, T3 N, R4 E.

- 40.00 Set temp. q. Sec. post.
Over 3rd rate Rolling Land Beech Oak Chesnut.
43.50 a Water Course 4 lks. wide Course S.
56.50 a Do " 4 " " " S.
79.60 Intersected the N. & S. line 10 lks. S. of post
over very Hilly 3rd rate Land Oak & Poplar timber.

West On true line between Sec. 16 & 21, T3 N, R4 E.

- 39.80 Set q. Sec. post at average dist. from which
a Beech 15 in. dia. bears S 18 W 6 lks. dist. &
a Poplar 30 " " " N 18 E 10 " "
79.60 To Section Corner. January 6th 1807.

T3N R4E 2ⁿ. Mer. Indiana

North Between Sec. 16 & 17, T3N R4E.
 20.60 a Water Course 12 lks. wide Course N. E.
 33.00 a do " 10 " " " E.
 40.00 Set the q. Sec. post. from which
 a Dogwood 5 in. dia. bears S 64° W 21 lks. dist. &
 a Maple 18 " " " S 76° E 10 " "
 55.75 a Brook 15 lks. wide Course E.
 77.15 a Hickory 18 in. dia. in the line
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17. from which
 a Beech 7 in. dia. bears S 11° W 2 lks. dist. &
 a B. Oak 15 " " " N 11° E 2 " "
 Over Hilly 3^d rate Land Beech Oak & Chestnut timber.

East On random Between Sec. 9 & 16, T3N R4E.
 26.00 a Water Course 6 lks. wide Course S.
 40.00 Set temp. q. Sec. post
 66.25 a Water Course 10 lks. wide Course S. E.
 78.75 Intersected the N. & S. line 15 lks. N. of post.
 Over Mountainous 3^d rate Land Oak Beech Chestnut timber.

West On true line between Sec. 9 & 16, T3N R4E.
 39.39 Set q. Sec. post at average dist. & from which
 a Beech 8 in. dia. bears S 54° W 17 lks. dist. &
 a H. Oak 12 " " " N 79° E 9 " "
 78.75 To Section Corner.

North Between Sec. 8 & 9, T3N R4E.
 3.30 a Hickory 24 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Hackberry 8 in. dia. bears S 44° W 13 lks. dist. &
 a Sugar 30 " " " S 88° E 24 " "
 66.50 a Water Course 4 lks. wide Course W.
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which

T3N. R4E. 2nd Mer. Indiana

a B. Walnut 24 in. dia. bray N68°W 10 lks. dist. of
 a Beech 12 " " " S35°E 23 " "
 Over rolling 2nd rate land Beech, Oak, Sugar
 timber, Spruce undg.

East On Land^m between Sec. 4 & 9, T3N. R4E.
 22.50 a water Course 4 lks. wide Course S.E.
 40.00 Let temp. of Sec. post. Over Mountains 3rd
 rate land Oak & Chestnut timber
 78.80 Intersected the N & S. line 60 lks. N. of post
 Over Mountains 3rd rate land Hickory, Oak
 & Chestnut timber. Jan. 10th 1867

West On true line between Sec. 4 & 9, T3N. R4E.
 39.40 Let of Sec. post at average dist. from which
 a Sugar 7 in. dia. bray N53°W 13 lks. dist. of
 a W. Oak 20 " " " N57°E 4 " "
 78.80 to Sec. Corner

North Between Sec. 4 & 5, T3N. R4E.
 14.00 a water Course 4 lks. wide Course N.W.
 40.00 Let the of Sec. post, from which
 a W. Oak 15 in. dia. bray N57°E 8 lks. dist. of
 a Beech 5 " " " S55°W 8 " "
 45.10 a Poplar 18 " " in the line
 69.00 a water Course 10 lks. wide Course S.W.
 71.00 Intersected the N. boundary 9.50 lks. N. of post
 Let a post cor. to Sec. 4 & 5, from which
 a Beech 12 in. dia. bray N30°E 16 lks. dist. of
 a Do 8 " " " S53°W 29 " "
 Over hilly 3rd rate land Oak & Chestnut timber

North Between Sec. 31 & 32, T3N. R4E.

T3N. R4E. 2^d. Mer. Indiana

- 10.00 a Poplar 18 in. dia. in the line
 28.50 a water course 4 lks. wide course W.
 37.10 at Brook 15 lks. wide course S. W.
 40.00 Let the gr. Sec. post, from which
 a Beech 15 in. dia. bray N 65 W 12 lks. dist. of
 a Hickory 6 " " " N 83 E 13 " "
 Over hilly 3^d rate land Beech, Oak & Poplar
 timber greenbrier underg.
 80.00 Let a post cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 12 in. dia. bray S 34 E 11 lks. dist. of
 a B. Oak 8 " " " N 47 W 8 " "
 Over rolling 3^d rate land, Oak & Beech
 Poplar & Chestnut timber

East On Rand.™ between Sec. 29 & 32, T3N. R4E.

- 40.00 Let temp. gr. Sec. post. Over third rate land
 Beech, Oak & Chestnut timber
 78.75 Intersected the N & S. line 125 lks. S. of post
 Over rolling 3^d rate land Oak, Beech, Poplar &
 Chestnut timber.

West On true line between Sec. 29 & 32, T3N. R4E.

- 39.37 1/2 Let gr. Sec. post at average dist. from which
 a Hickory 4 in. dia. bray N 10 E 20 lks. dist. of
 a W. Oak 12 " " " N 9 E 9 " "
 78.75 to Sec. Corner

West Between Sec. 30 & 31, T3N. R4E.

- 28.00 a Brook 15 lks. wide course South
 40.00 Let the gr. Sec. post from which
 a Hickory 10 in. dia. bray N 85 E 28 lks. dist. of
 a Gum 12 " " " N 85 W 25 " "
 66.50 Intersected the W. boundary 100 lks. N. of post

T3 N. R4 E. 2^m. Mer. Indiana

Set a post Cor. to Sec. 30 & 31, from which
 a W. Oak 10 in. dia. bears S 58° W 20 lks. dist. &
 a Hickory 18 " " " N 51° E 23 " "
 Over rolling 3^d rate land, Oak, Hickory and
 Chestnut timber, green briars undergth.

January 1st 1807

North Between Sec. 29 & 30, T3 N. R4 E.

22.10 a water Course 10 lks. wide Course S. W.
 40.00 Set the q. Sec. post, from which
 a Poplar 12 in. dia. bears N 17° W 7 lks. dist. &
 a Gum 20 " " " S 21° W 12 " "
 Over hilly 3^d rate land, Oak, Beech & Poplar
 53.60 a Chestnut 18 in. dia. in the line
 68.50 a water Course 4 lks. wide Course N. E.
 77.75 a do 8 " " " W.
 80.00 Set a post cor. to Sec. 19, 20, 29 & 30, from which
 an Ash 8 in. dia. bears S 33° E 14 lks. dist. &
 an Ironw. 4 " " " N 7° E 24 " "
 Over hilly 3^d rate land Oak, Beech & Poplar
 timber, & some Chestnut

East On Rand^m. between Sec. 20 & 29, T3 N. R4 E.

40.00 Set temp. q. Sec. post
 49.80 a water Course 5 lks. wide Course North
 78.50 Intersected the N & S. line 125 lks. S. of post
 Over hilly 3^d rate, Beech, Oak, Poplar & Chestnut.

West On true line between Sec. 20 & 29, T3 N. R4 E.

39.25 Set q. Sec. post at average dist. from which
 a Beech 8 in. dia. bears S 34° W 19 lks. dist. &
 a do 8 " " " N 63° E 20 " "
 78.50 to Sec. Corner.

T3N R4E 2nd Mer. Indiana

West Between Sec. 19 & 30, T3N R4E.

20.00 a Poplar 36 in. dia. in the line

38.00 a water Course 6 lks. wide Course North

40.00 Set the q. Sec. post, from which

a W. Oak 6 in. dia. bears S 31° W 8 lks. dist. &

a Beech 10 " " " N 47° E 29 " "

Over hilly 3rd rate land Oak, Poplar & Beech timb.

61.50 a Poplar 24 in. dia. in the line

67.40 Intersected the N. boundary 224 lks. N. of post

Set a post Cor. to Sec. 19 & 30, from which

a Beech 4 in. dia. bears S 30° W 8 lks. dist. &

a Do 5 " " " N 31° E 9 " "

Over hilly 3rd rate land Beech, Oak & Poplar timb.

North Between Sec. 19 & 20, T3N R4E.

29.70 a Poplar 24 in. dia. in the line

39.50 a Brook 20 lks. wide Course West

40.00 Set the q. Sec. post, from which

a Sugar 7 in. dia. bears S 56° E 9 lks. dist. &

a Do 12 " " " N 60° W 11 " "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which

a Beech 6 in. dia. bears S 84° E 17 lks. dist. &

a Do 8 " " " N 63° W 11 " "

Over thin hilly 3rd rate Soil Oak, Beech Sugar
& Poplar timber —

East On random between Sec. 17 & 20, T3N R4E.

6.50 a Water Course 4 lks. wide Course N.

40.00 Set temp. q. Sec. post.

55.60 a Water Course 5 lks. wide Course N.

76.60 Intersected the N. & S. line 160 lks. S. of post

1st 1/2 Mile over level 2nd rate Land last 1/2 rolling2nd rate Land, Beech Oak Ash Poplar timber

T3N R4E. 2nd Mer. Indiana

261

West On true line between Sec. 17 & 20, T3N R4E.
 39.30 Set q: Sec. post at average dist. from which
 a Beech 6 in. dia. bears N41°W 10 chs. dist. &
 a Dogwood 4 " " East 16 " "
 76.60 to Section Corner

West Between Sec. 18, 19, T3N R4E.
 37.35 a Beech 18 in. dia. in the line
 40.00 Set the q: Sec. post, from which
 an Elm 12 in. dia. bears S63°E 10 chs. dist. &
 a H. Oak 15 " " " N60°W 23 " "
 67.75 Intersected the N. boundary 3.95 chs. N. of post
 Set a post Cor. to Sec. 18 & 19. from which
 a B. Oak 30 in. dia. bears N71°W 16 chs. dist. &
 a Beech 12 " " " S61°E 21 " "
 Over Hilby 3^d rate Land Oak & Beech timber.

North Between Sec. 17 & 18, T3N R4E.
 21.00 a Water Course 8 chs. wide Course N.
 29.40 a B. Oak 24 in. dia. in the line
 40.00 Set the q: Sec. post from which
 a Dogwood 5 in. dia. bears S79°W 3 chs. dist.
 a Beech 24 " " " N38°E 34 " "
 50.50 a Water Course 6 chs. wide Course S.W.
 80.00 Set a post Cor. to Sec. 17 & 18, from which
 a Hickory 8 in. dia. bears S38°E 21 chs. dist. &
 a Linn 15 " " " N29°W 15 " "
 Over Hilby 3^d rate Land Oak Beech & Poplar timber.
 This cor. is in a water course 12 chs. wide Course S60°W

East On Random between Sec. 8 & 17, T3N R4E.
 40.00 Set temp. q: Sec. post
 70.00 a Water Course 6 chs. wide Course S.
 78.75 Intersected the N. & S. line 54 chs. S. of post.

S 3 N 1 R 4 E 2nd Mer. Indiana

Over Hilby 3^d rate Land Oak, Chestnut & Poplar timber

West On true line between Sec. 8, 17, S 3 N 1 R 4 E.
 39. 39 Set of Sec. post at average dist. from which
 a Beech 10 in. dia. bears S 67 W 10 chs. dist. 8
 a Do 15 " " " N 76 E 34 " "
 78. 75 To Section Corner

West Between Sec. 7 & 18, S 3 N 1 R 4 E.
 15. 15 a Poplar 18 in. dia. in the line
 40. 00 Set the of Sec. post, from which
 a Beech 6 in. dia. bears N 70 E 22 chs. dist. 8
 an Oak 6 " " " S 53 W 14 " "
 60. 00 a B. Walnut 24 in. dia. in the line
 69. 25 Intersected the W. boundary 4. 30 chs. N. of post
 Set a post Cor. to Sec. 7 & 18, from which
 a Beech 4 in. dia. bears S 46 E 6 chs. dist. 8
 a Do 5 " " " N 46 W 22 " "
 Over Volby 2^d rate, ^{cont.} Beech Poplar ash & B. Walnut timber.

North Between Sec. 7 & 8, S 3 N 1 R 4 E.
 40. 00 Set the of Sec. post, from which
 an Ironwood 4 in. dia. bears S 46 E 4 chs. dist. 8
 a Beech 24 " " " N 32 W 17 " "
 45. 60 a Poplar 15 " " in the line
 60. 00 a Brook 15 chs. wide Course W.
 78. 00 a Water Course 5 " " " West.
 81. 00 Set a post Cor. to Sec. 5, 6, 7, 8, from which
 a Beech 5 in. dia. bears S 50 E 10 chs. dist. 8
 an Oak 3 " " " N 53 W 13 " "
 Land & timber as before.

East On Random between Sec. 5 & 8, S 3 N 1 R 4 E.

S3 N R4 E. 2nd Mer. Indiana 263

- 32.50 a Water Course 8 chs. wide Course S.
 40.00 Set temp. g. Sec. post
 42.75 a Water Course 12 chs. wide Course S. W.
 79.50 Intersected the N. & S. line 1.10 chs. S of post
 Over Hilly 3rd rate land Beech Oak & Poplar timber.

- West On true line between Sec. 5 & 8, S3 N R4 E.
 39.75 Set g. Sec. post at average dist. from which
 a Sugar 12 in. dia. bears N 48 W 11 chs. dist. &
 a Beech " " " S 52 E 20 " "
 79.50 To Section Corner

- West Between Sec. 6 & 7, S3 N R4 E.
 5.50 a Water Course 10 chs. wide Course S.
 29.45 a B. Oak 18 in. dia. in the line
 33.25 a Water Course 8 chs. wide Course S.
 40.00 Set the g. Sec. post, from which
 an Ash 6 in. dia. bears S 12 W 16 chs. dist. &
 a Hickory 18 " " " N 50 W 25 " "
 55.00 a Water Course 10 chs. wide Course S.
 71.50 Intersected the West boundary 4.84 chs. N. of post.
 Set a post Cor. to Sec. 6 & 7, from which
 a Beech 5 in. dia. bears S 73 E 12 chs. dist. &
 a Dog 8 " " " N 53 W 22 " "
 Over Hilly 3rd rate Land Oak Beech & Chestnut timber.

- North Between Sec. 5 & 6, S3 N R4 E.
 6.00 a Water Course 10 chs. wide Course S. W.
 31.50 a Hickory 20 in. dia. in the line
 40.00 Set the g. Sec. post, from which
 a Beech 18 in. dia. bears N 11 W 14 chs. dist. &
 a Dogwood 5 " " " S 49 E 13 " "
 55.00 a Water Course 10 chs. wide Course W.

264

Township N. 3. E. 2. Mer. Indiana

60. 10 a Beech 20 in. dia. in the line
 72. 20 Intersected the N. & S. line 7.10 chs. W. of post
 Set a post Cor. to Secs. 5. & 6, from which
 a Beech 12 in. dia. bears N 70 E 25 chs. dist. &
 a do 18 " " " S 47 W 31 " "
 Over Hilly 3. rate Land Oak Beech & Chestnut timber.

Jan'y. 11th 1807.

Surveyed By Alexander Enos, H. S.

comp.

I certify that the foregoing transcript of field notes of
 Township N. 3. North, of Range N. 4. E. 2. Mer. Indiana
 has been Comp. with the original notes in this office
 and found to be Correct.

Surveyor General's Office
 Cincinnati, June 15th 1841

W. R. Rains
 Sur. Genl.